



Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
 Tel: +86-577-62902615 Fax: +86-577-62902615
 Email: info@highyi.com Web: www.highyi.com

Aluminum Box Price List

| | | |
|----------|-------------------------|--|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before shipment |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union, Alipay |
| Email: | Date: | |

IP67 Aluminum Waterproof Box



| Part No. | Photos | Specification (mm) | | | CTN | CTN | Unit Price(USD) |
|-------------|--------|--------------------|-------|--------|-----------|---------|-----------------|
| | | Length | Width | Height | Dimension | Gross / | |
| 64*58*35 | | 64 | 58 | 35 | | | 1.18 |
| 80*75*60 | | 80 | 75 | 60 | | | 2.11 |
| 80*75*80 | | 80 | 75 | 80 | | | 2.52 |
| 80*80*65 | | 80 | 80 | 65 | | | 2.56 |
| 90*36*31 | | 90 | 36 | 31 | | | 1.52 |
| 98*64*35 | | 98 | 64 | 35 | | | 1.93 |
| 100*100*60 | | 100 | 100 | 60 | | | 3.58 |
| 100*100*80 | | 100 | 100 | 80 | | | 3.86 |
| 111*64*37 | | 111 | 64 | 37 | | | 2.16 |
| 115*65*55 | | 115 | 65 | 55 | | | 2.26 |
| 115*90*56 | | 115 | 90 | 56 | | | 2.75 |
| 120*120*82 | | 120 | 120 | 82 | | | 5.41 |
| 120*80*56 | | 120 | 80 | 56 | | | 2.58 |
| 125*80*60 | | 125 | 80 | 60 | | | 2.56 |
| 140*140*100 | | 140 | 140 | 100 | | | 6.95 |
| 140*140*75 | | 140 | 140 | 75 | | | 6.08 |
| 150*100*80 | | 150 | 100 | 80 | | | 5.16 |
| 150*64*37 | | 150 | 64 | 37 | | | 2.16 |
| 160*100*60 | | 160 | 100 | 60 | | | 4.05 |
| 160*100*80 | | 160 | 100 | 80 | | | 5.37 |
| 160*160*70 | | 160 | 160 | 70 | | | 6.49 |
| 160*160*90 | | 160 | 160 | 90 | | | 6.95 |
| 165*95*40 | | 165 | 95 | 40 | | | 4.23 |
| 175*80*58 | | 175 | 80 | 58 | | | 3.86 |
| 188*120*80 | | 188 | 120 | 80 | | | 5.35 |
| 200*130*60 | | 200 | 130 | 60 | | | 5.84 |
| 200*130*78 | | 200 | 130 | 78 | | | 6.67 |
| 200*130*85 | | 200 | 130 | 85 | | | 8.11 |
| 200*135*90 | | 200 | 135 | 90 | | | 8.24 |
| 200*200*90 | | 200 | 200 | 90 | | | 10.23 |
| 220*120*80 | | 220 | 120 | 80 | | | 8.09 |
| 220*120*90 | | 220 | 120 | 90 | | | 9.09 |
| 222*145*80 | | 222 | 145 | 80 | | | 6.20 |
| 222*145*60 | | 222 | 145 | 60 | | | 5.43 |
| 230*150*75 | | 230 | 150 | 75 | | | 6.49 |
| 230*150*85 | | 230 | 150 | 85 | | | 7.18 |
| 230*200*110 | | 230 | 200 | 110 | | | 13.77 |
| 230*230*90 | | 230 | 230 | 90 | | | 12.55 |
| 240*160*100 | | 240 | 160 | 100 | | | 10.55 |
| 240*160*75 | | 240 | 160 | 75 | | | 9.45 |
| 250*80*65 | | 250 | 80 | 65 | | | 5.65 |
| 250*80*80 | | 250 | 80 | 80 | | | 6.38 |

| | | | | |
|-------------|-----|-----|-----|-------|
| 260*160*90 | 260 | 160 | 90 | 12.40 |
| 265*185*130 | 265 | 185 | 130 | 14.29 |
| 265*185*80 | 265 | 185 | 80 | 11.51 |
| 265*185*95 | 265 | 185 | 95 | 12.40 |
| 280*230*110 | 280 | 230 | 110 | 20.27 |
| 300*200*150 | 300 | 200 | 150 | 20.27 |
| 300*210*110 | 300 | 210 | 110 | 16.92 |
| 300*210*130 | 300 | 210 | 130 | 18.89 |
| 300*300*150 | 300 | 300 | 150 | 24.99 |
| 320*120*90 | 320 | 120 | 90 | 11.41 |
| 340*235*120 | 340 | 235 | 120 | 20.86 |
| 340*235*135 | 340 | 235 | 135 | 24.79 |
| 340*235*160 | 340 | 235 | 160 | 24.99 |
| 340*235*95 | 340 | 235 | 95 | 20.66 |
| 360*160*135 | 360 | 160 | 135 | 16.73 |
| 360*160*95 | 360 | 160 | 95 | 14.86 |
| 400*300*150 | 400 | 300 | 150 | 29.32 |
| 500*400*150 | 500 | 400 | 150 | 54.51 |

IP67 AG Series Abs plastic Waterproof Box



| Part No. | Photos | Specification (mm) | | | Unit Price(USD) | |
|-------------|--------|--------------------|-------|--------|-----------------|-------------------|
| | | Length | Width | Height | Normal Cover | Transparent Cover |
| 95*65*55 | | 95 | 65 | 55 | 0.85 | 1.28 |
| 110*80*50 | | 110 | 80 | 50 | 0.96 | 1.45 |
| 110*80*70 | | 110 | 80 | 70 | 1.16 | 1.74 |
| 110*80*85 | | 110 | 80 | 85 | 1.27 | 1.90 |
| 130*80*70 | | 130 | 80 | 70 | 1.32 | 1.98 |
| 130*80*85 | | 130 | 80 | 85 | 1.52 | 2.27 |
| 100*100*75 | | 100 | 100 | 75 | 1.32 | 1.98 |
| 100*100*100 | | 100 | 100 | 100 | 1.52 | 2.27 |
| 180*80*70 | | 180 | 80 | 70 | 1.60 | 2.40 |
| 250*80*70 | | 250 | 80 | 70 | 1.87 | 2.81 |
| 250*80*85 | | 250 | 80 | 85 | 2.15 | 3.22 |
| 125*125*75 | | 125 | 125 | 75 | 1.65 | 2.48 |
| 125*125*100 | | 125 | 125 | 100 | 1.79 | 2.69 |
| 175*125*75 | | 175 | 125 | 75 | 2.07 | 3.10 |
| 175*125*100 | | 175 | 125 | 100 | 2.42 | 3.64 |
| 170*140*95 | | 170 | 140 | 95 | 2.62 | 3.93 |
| 175*175*100 | | 175 | 175 | 100 | 3.20 | 4.79 |
| 200*150*100 | | 200 | 150 | 100 | 2.87 | 4.30 |
| 200*150*130 | | 200 | 150 | 130 | 3.20 | 4.79 |
| 200*200*95 | | 200 | 200 | 95 | 3.44 | 5.17 |
| 200*200*130 | | 200 | 200 | 130 | 4.08 | 6.12 |
| 250*150*100 | | 250 | 150 | 100 | 3.50 | 5.25 |
| 250*150*130 | | 250 | 150 | 130 | 3.91 | 5.87 |
| 280*190*130 | | 280 | 190 | 130 | 5.65 | 8.47 |
| 280*190*180 | | 280 | 190 | 180 | 6.30 | 9.45 |
| 250*150*130 | | 250 | 150 | 130 | 3.91 | 5.87 |
| 280*190*130 | | 280 | 190 | 130 | 5.65 | 8.47 |
| 280*190*180 | | 280 | 190 | 180 | 6.30 | 9.45 |

F Series Abs plastic Waterproof Box

| Part No. | Photos | Specification (mm) | | | Unit Price(USD) | |
|----------|--------|--------------------|-------|--------|-----------------|-------------------|
| | | Length | Width | Height | Normal Cover | Transparent Cover |

| | | | | | | |
|----------|--------------|-----|-----|-----|------|------|
| F1-75 | 200*120*75 | 200 | 120 | 75 | 1.03 | 1.47 |
| F1-75E | 200*120*75E | 200 | 120 | 75 | 1.07 | 1.53 |
| F1-113 | 200*120*113 | 200 | 120 | 113 | 1.17 | 1.67 |
| F1-65E | 200*120*65E | 200 | 120 | 65 | 1.35 | 1.93 |
| F1-113E | 200*120*113E | 200 | 120 | 113 | 1.13 | 1.62 |
| F2-75 | 158*90*75 | 158 | 90 | 75 | 1.55 | 2.21 |
| F2-65E | 158*90*65E | 158 | 90 | 65 | 0.77 | 1.11 |
| F2-60 | 158*90*60 | 158 | 90 | 60 | 0.83 | 1.19 |
| F2-40 | 158*90*40 | 158 | 90 | 40 | 0.73 | 1.05 |
| F3-55 | 115*90*55 | 115 | 90 | 55 | 0.67 | 0.96 |
| F3-55E | 115*90*55E | 115 | 90 | 55 | 0.56 | 0.79 |
| F4-50 | 100*68*50 | 100 | 68 | 50 | 0.60 | 0.85 |
| F4-50E | 100*68*50E | 100 | 68 | 50 | 0.44 | 0.62 |
| F5-90 | 160*160*90 | 160 | 160 | 90 | 0.52 | 0.74 |
| F5-90E | 160*160*90E | 160 | 160 | 90 | 1.29 | 1.84 |
| F5-120 | 160*160*120 | 160 | 160 | 120 | 1.43 | 2.04 |
| F6-60 | 265*185*60 | 265 | 185 | 60 | 1.45 | 2.07 |
| F6-80 | 265*185*80 | 265 | 185 | 80 | 1.79 | 2.55 |
| F6-95 | 265*185*95 | 265 | 185 | 95 | 1.88 | 2.69 |
| F6-130 | 265*185*130 | 265 | 185 | 130 | 1.98 | 2.83 |
| F6-150 | 265*185*150 | 265 | 185 | 150 | 2.34 | 3.34 |
| F6-95E | 265*185*95E | 265 | 185 | 95 | 2.52 | 3.60 |
| F7-45E | 158*90*45E | 158 | 90 | 45 | 2.12 | 3.03 |
| F7-60E | 158*90*60E | 158 | 90 | 60 | 0.81 | 1.16 |
| F8-35E | 115*85*35E | 115 | 85 | 35 | 0.87 | 1.25 |
| F8-55E | 115*85*55E | 115 | 85 | 55 | 0.65 | 0.94 |
| F10-110 | 320*240*110 | 320 | 240 | 110 | 0.75 | 1.08 |
| F10-110E | 320*240*110E | 320 | 240 | 110 | 3.47 | 4.96 |
| F10-145 | 320*240*145 | 320 | 240 | 145 | 3.73 | 5.33 |
| F11-105 | 380*260*105 | 380 | 260 | 105 | 3.77 | 5.39 |
| F14-90 | 120*120*90 | 120 | 120 | 90 | 4.17 | 5.95 |
| F15-60 | 230*150*60 | 230 | 150 | 60 | 0.99 | 1.42 |
| F15-85 | 230*150*85 | 230 | 150 | 85 | 1.43 | 2.04 |
| F15-85E | 230*150*85E | 230 | 150 | 85 | 1.57 | 2.24 |
| F19-33 | 83*58*33 | 83 | 58 | 33 | 1.90 | 2.72 |
| F19-33E | 83*58*33E | 83 | 58 | 33 | 0.36 | 0.51 |
| F20-35 | 65*58*35 | 65 | 58 | 35 | 0.38 | 0.54 |
| F20-35E | 65*58*35E | 65 | 58 | 35 | 0.32 | 0.45 |
| F21-90 | 240*160*90 | 240 | 160 | 90 | 0.36 | 0.51 |
| F21-120 | 240*160*120 | 240 | 160 | 120 | 1.69 | 2.41 |
| F22-90 | 160*110*90 | 160 | 110 | 90 | 1.83 | 2.61 |
| F22-90E | 160*110*90E | 160 | 110 | 90 | 0.99 | 1.42 |
| F24-100 | 192*188*100 | 192 | 188 | 100 | 1.09 | 1.56 |
| F25-56 | 83*81*56 | 83 | 81 | 56 | 1.57 | 2.24 |
| F36-60 | 290*210*60 | 290 | 210 | 60 | 0.52 | 0.74 |
| F36-80 | 290*210*80 | 290 | 210 | 80 | 2.36 | 3.37 |
| F36-100 | 290*210*100 | 290 | 210 | 100 | 2.48 | 3.54 |

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month







Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China

Tel: +86-577-62902615 Fax: +86-577-62902615

Email: info@highyi.com Web: www.highyi.com

Waterproof Box Price List

| | | |
|----------|-------------------------|---|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union,Alipay |
| Email: | Date: | |

SMC Fiber Glass Waterproof Box

| Part No. | Photos | Specification (mm) | | | Plate thickness | Unit Price(USD) |
|------------|--------|--------------------|-------|--------|-----------------|-----------------|
| | | Depth | Width | Height | | |
| HY-SMC-325 | | 140 | 250 | 300 | 1.5mm | 17.40 |
| HY-SMC-430 | | 200 | 300 | 400 | 1.5mm | 24.90 |
| HY-SMC-440 | | 200 | 400 | 400 | 1.5mm | 30.50 |
| HY-SMC-540 | | 200 | 400 | 500 | 1.5mm | 33.60 |
| HY-SMC-640 | | 230 | 400 | 600 | 1.5mm | 41.50 |
| HY-SMC-650 | | 230 | 500 | 600 | 1.5mm | 48.00 |
| HY-SMC-860 | | 300 | 600 | 800 | 1.5mm | 78.30 |

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month








Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
 Tel: +86-577-62902615 Fax: +86-577-62902615
 Email: info@highyi.com Web: www.highyi.com

Waterproof Box Price List

| | | |
|----------|-------------------------|---|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union, Alipay |
| Email: | Date: | |

Wall Mounted ABS Waterproof Box

| Part No. | Photos | Specification (mm) | | | Material | Unit Price(USD) |
|-----------|---|--------------------|-------|--------|----------|-----------------|
| | | Depth | Width | Height | | |
| | 260x170x140 | | | | | |
| HY-1701 |  | 140 | 170 | 260 | ABS | 9.30 |
| | 260x170x140 with handle | | | | | |
| HY-1701-1 |  | 140 | 170 | 260 | ABS | 9.35 |
| | 280x280x115 | | | | | |
| HY-1703 |  | 115 | 280 | 280 | ABS | 30.50 |
| HY-1704 | | 200 | 400 | 500 | ABS | 33.60 |
| HY-1705 | | 230 | 400 | 600 | ABS | 41.50 |
| HY-1706 | | 230 | 500 | 600 | ABS | 48.00 |

| | | | | | |
|---------|-----|-----|-----|-----|--------------|
| HY-1707 | 300 | 600 | 800 | ABS | 78.30 |
|---------|-----|-----|-----|-----|--------------|

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month





Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
 Tel: +86-577-62902615 Fax: +86-577-62902615
 Email: info@highyi.com Web: www.highyi.com

Waterproof Box Price List

| | | |
|----------|-------------------------|---|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union, Alipay |
| Email: | Date: | |

Stainless steel Waterproof Box

| Part No. | Photos | Specification (mm) | | | CTN Dimension | CTN Gross / | Unit Price(USD) | |
|------------|--------|--------------------|-------|--------|---------------|-------------|-----------------|-------|
| | | Length | Width | Height | | | | |
| 90*80*60 | | 90 | 80 | 60 | | | 10.07 | |
| 140*80*60 | | 140 | 80 | 60 | | | 11.81 | |
| 190*80*60 | | 190 | 80 | 60 | | | 14.76 | |
| 240*80*60 | | 240 | 80 | 60 | | | 17.01 | |
| 290*80*60 | | 290 | 80 | 60 | | | 19.10 | |
| 340*80*60 | | 340 | 80 | 60 | | | 21.70 | |
| 390*80*60 | | 390 | 80 | 60 | | | 25.17 | |
| 440*80*60 | | 440 | 80 | 60 | | | 29.17 | |
| 90*130*60 | | 90 | 130 | 60 | | | 13.54 | |
| 140*130*60 | | 140 | 130 | 60 | | | 19.10 | |
| 190*130*60 | | 190 | 130 | 60 | | | 23.44 | |
| 240*130*60 | | 240 | 130 | 60 | | | 28.65 | |
| 160*100*75 | | Customized size | 160 | 100 | | | 75 | 12.62 |

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month





Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
 Tel: +86-577-62902615 Fax: +86-577-62902615
 Email: info@highyi.com Web: www.highyi.com

Price List

| | | |
|----------|-------------------------|---|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union, Alipay |
| Email: | Date: | |

| Part No. | Material | Specification Size (mm) | Capacity | IP Degree | Image | PCS/BAG | Unit Price(USD) |
|---|---|----------------------------|----------|-----------|-------|---------|-----------------|
| Cable Gland (PG) | | | | | | | |
| PG7 | PP | | | | | 100pcs | 0.0205 |
| PG9 | PP | | HIGHYI | | | 100pcs | 0.0283 |
| PG11 | PP | | | | | 100pcs | 0.0299 |
| PG13.5 | PP | | | | | 100pcs | 0.0362 |
| PG16 | PP | | | | | 100pcs | 0.0472 |
| PG19 | PP | | | 100pcs | | 0.0504 | |
| PG21 | PP | | | 100pcs | | 0.0709 | |
| PG25 | PP | | | 50pcs | | 0.0835 | |
| PG29 | PP | | | 50pcs | | 0.1181 | |
| PG36 | PP | | | 20pcs | | 0.2205 | |
| PG42 | PP | | | 20pcs | | 0.2992 | |
| PG48 | PP | | | 20pcs | | 0.3307 | |
| PG63 | PP | | | 10pcs | | 0.6299 | |
| Cable Gland (M) | | | | | | | |
| M12 | PP | | | | | 100pcs | 0.0205 |
| M16 | PP | | HIGHYI | | | 100pcs | 0.0283 |
| M18 | PP | | | | | 100pcs | 0.0315 |
| M20 | PP | | | | | 100pcs | 0.0362 |
| M22 | PP | | | | | 100pcs | 0.0472 |
| M24 | PP | | | | | 100pcs | 0.0520 |
| M25 | PP | | | | | 100pcs | 0.0787 |
| M27 | PP | | | | | 50pcs | 0.0835 |
| M28 | PP | | | | | 50pcs | 0.0835 |
| M30 | PP | | | | | 20pcs | 0.0945 |
| M32 | PP | | | | | 20pcs | 0.0945 |
| M36 | PP | | | | | 20pcs | 0.1181 |
| M40 | PP | | | | | 10pcs | 0.2205 |
| M50 | PP | | | | | 10pcs | 0.2992 |
| M58 | PP | | | | | 10pcs | 0.3307 |
| M63 | PP | | | | | 10pcs | 0.3937 |
| M72 | PP | | | | | 10pcs | 0.8346 |
| Brass Brass With Nickel Plated Cable Gland (M) | | | | | | | |
| M6*1(2-3) | | | | | | 100pcs | 0.1814 |
| M8*1.25(2-4) | | | | 100pcs | | 0.1549 | |
| M10*1.5(3-6.5) | | | | 100pcs | | 0.1789 | |
| M12*1.5(3-6.5) | | | | 100pcs | | 0.1789 | |
| M12*1.5(4-8) | | | | 100pcs | | 0.2732 | |
| M14*1.5(4-8) | | | | 100pcs | | 0.2577 | |
| M16*1.5(5-10) | | | | 100pcs | | 0.3282 | |
| M16*1.5(4-8) | | | | 100pcs | | 0.2732 | |
| M18*1.5(5-10) | | | | 100pcs | | 0.3042 | |
| M20*1.5(5-10) | | | | 100pcs | | 0.3437 | |
| M20*1.5(6-12) | | | | 100pcs | | 0.3437 | |
| M20*1.5(10-14) | | | | 100pcs | | 0.3873 | |
| M22*1.5(10-14) | | | | 100pcs | | 0.3873 | |
| M24*1.5(10-14) | | | | 100pcs | | 0.5310 | |
| M25*1.5(10-14) | | | | 100pcs | | 0.5310 | |
| M25*1.5(12-16) | | | | 100pcs | | 0.6197 | |
| M25*1.5(13-18) | Brass Brass With Nickel Plated.The claw made from PA material | | | | | 100pcs | 0.7042 |
| M27*1.5(13-18) | | | | | | 50pcs | 0.7324 |
| M28*1.5(13-18) | | | | | | 50pcs | 0.7268 |

M30*1.5(13-18)
M32*1.5(15-22)
M33*1.5(15-22)
M36*1.5(18-22)
M37*1.5(18-25)
M40*1.5(22-30)
M42*1.5(22-30)
M47*1.5(25-33)
M48*1.5(25-33)
M50*1.5(32-38)
M54*1.5(32-38)
M56*1.5(32-37)
M60*1.5(37-44)
M63*1.5(37-44)
M64*2(37-44)
M70*2(42-52)
M72*2(42-52)
M75*2(42-52)
M80*2(55-62)
M88*2(65-70)
M90*2(65-70)
M100*2(78-84)
M110*2(85-100)



50pcs 0.9831
50pcs 1.0845
50pcs 1.1577
50pcs 1.2958
50pcs 1.2958
50pcs 1.8690
50pcs 2.5803
50pcs 2.5803
50pcs 2.5803
50pcs 3.4324
20pcs 3.4225
20pcs 4.6761
20pcs 4.6761
20pcs 5.7746
20pcs 5.7746
20pcs 8.9155
10pcs 8.9155
10pcs 9.8592
10pcs 14.6479
10pcs 19.4366
10pcs 24.9296
10pcs 29.5775
10pcs 54.6479

Brass Brass With Nickel Plated Cable Gland (PG)

PG7(3-6.5)
PG9(4-8)
PG11(5-10)
PG13.5(6-12)
PG16(10-14)
PG19(12-16)
PG21(13-18)
PG25(15-22)
PG29(18-25)
PG36 【25-33】
PG42 【32-38】
PG48 【37-44】
PG63 【42-52】

Brass Brass With Nickel Plated.The claw made from PA material



100pcs 0.1789
100pcs 0.2732
100pcs 0.3127
100pcs 0.3521
100pcs 0.3873
100pcs 0.5634
100pcs 0.6887
100pcs 1.1577
100pcs 1.2986
100pcs 2.4930
50pcs 3.5915
50pcs 5.6338
50pcs 8.9155

Clamp jaw


span (3-6.5)
span (4-8)
span (6-10)
(7-12)
(10-14)
(12-16)
(13-18)
(15-22)
(18-25)
(22-28)
(25-33)
【32-38】
【37-44】
【44-55】
52-62
62-70
70-80

The claw made from PA material + sealing rubber



0.0282
0.0423
0.0563
0.0704
0.0775
0.0845
0.0986
0.1197
0.1690
0.2113
0.2817
0.3521
0.4930
0.7042
1.4085
1.8310
2.5352







High quality & Easy life

Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
Tel: +86-577-62902615 Fax: +86-577-62902615
Email: info@highyi.com Web: www.highyi.com

Price List

| | | |
|----------|-------------------------|--|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit the balance 70% before shipment |
| Tel/Fax: | Email: info@highyi.com | Payment method: T/T, Western Union, Alipay |
| Email: | Date: | |

Plugs



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1301 | 16A | 220V | 2P+E | 6H | IP44 | 120 | 50*36*45 | 17/16 | 1.82 |
| MN1401 | 16A | 380V | 3P+E | 6H | IP44 | 100 | 45*35*43 | 16/15 | 2.07 |
| MN1501 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 120 | 55*40*45 | 21/17 | 2.45 |
| MN1302 | 16A | 220V | 2P+E | 6H | IP67 | 100 | 50*36*45 | 17/16 | 2.28 |
| MN1402 | 16A | 380V | 3P+E | 6H | IP67 | 100 | 50*40*43 | 19/18 | 2.61 |
| MN1502 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 120 | 55*45*45 | 26/25 | 3.11 |
| MN3301 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 45*35*43 | 16/15 | 2.92 |
| MN3401 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 16/15 | 3.44 |
| MN3501 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 50*40*43 | 19/18 | 3.79 |
| MN3302 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 50*40*43 | 19/18 | 3.78 |
| MN3402 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 50*40*43 | 19/18 | 4.28 |
| MN3502 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 55*40*45 | 21/17 | 4.80 |
| MN6301 | 63A | 220V | 2P+E | 6H | IP44 | 10 | 35*30*25 | 7/6 | 15.08 |
| MN6401 | 63A | 380V | 3P+E | 6H | IP44 | 10 | 38*32*25 | 8/7 | 17.32 |
| MN6501 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 10 | 38*32*25 | 8/7 | 19.31 |
| MN6302 | 63A | 220V | 2P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 16.59 |
| MN6402 | 63A | 380V | 3P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 18.97 |
| MN6502 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 20 | 50*36*45 | 17/16 | 20.97 |
| MN5302 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 29.22 |
| MN5402 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 34.15 |
| MN5502 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 50*36*45 | 17/16 | 38.90 |

Surface mounted Socket



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1311 | 16A | 220V | 2P+E | 6H | IP44 | 60 | 50*36*45 | 17/16 | 3.66 |
| MN1411 | 16A | 380V | 3P+E | 6H | IP44 | 60 | 50*40*43 | 19/18 | 3.96 |
| MN1511 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 55*40*45 | 21/17 | 4.34 |
| MN1312 | 16A | 220V | 2P+E | 6H | IP67 | 60 | 50*40*43 | 19/18 | 4.15 |
| MN1412 | 16A | 380V | 3P+E | 6H | IP67 | 60 | 50*40*43 | 19/18 | 4.51 |
| MN1512 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 55*40*45 | 21/17 | 5.10 |
| MN3311 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 55*40*45 | 23/22 | 4.75 |
| MN3411 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 55*40*45 | 23/22 | 5.17 |
| MN3511 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 55*45*45 | 26/25 | 5.69 |
| MN3312 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 55*45*45 | 26/25 | 5.83 |
| MN3412 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 55*45*45 | 27/26 | 6.17 |
| MN3512 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 55*45*45 | 28/27 | 6.88 |
| MN6311 | 63A | 220V | 2P+E | 6H | IP44 | 10 | 38*30*25 | 10/9 | 16.56 |
| MN6411 | 63A | 380V | 3P+E | 6H | IP44 | 10 | 38*30*25 | 10/9 | 18.16 |
| MN6511 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 10 | 38*30*25 | 10/9 | 20.60 |
| MN6312 | 63A | 220V | 2P+E | 6H | IP67 | 10 | 38*30*25 | 10/9 | 17.95 |
| MN6412 | 63A | 380V | 3P+E | 6H | IP67 | 10 | 38*30*25 | 10/9 | 19.51 |
| MN6512 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 38*30*25 | 10/9 | 21.89 |
| MN5312 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 15/14 | 38.96 |
| MN5412 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 15/14 | 40.00 |
| MN5512 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 45*35*43 | 15/14 | 42.50 |

Connector



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1321 | 16A | 220V | 2P+E | 6H | IP44 | 120 | 55*40*45 | 23/22 | 2.54 |
| MN1421 | 16A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 13/12 | 2.82 |
| MN1521 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 120 | 60*40*50 | 30/29 | 3.27 |

| | | | | | | | | | |
|--------|------|-----------|--------|----|------|-----|----------|-------|-------|
| MN1322 | 16A | 220V | 2P+E | 6H | IP67 | 120 | 55*45*45 | 26/25 | 2.78 |
| MN1422 | 16A | 380V | 3P+E | 6H | IP67 | 60 | 50*36*45 | 17/16 | 3.17 |
| MN1522 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 120 | 60*40*50 | 35/34 | 3.74 |
| MN3321 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 55*40*45 | 20/19 | 4.07 |
| MN3421 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 55*40*45 | 20/19 | 4.49 |
| MN3521 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 55*40*45 | 23/22 | 5.11 |
| MN3322 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 55*40*45 | 23/22 | 4.71 |
| MN3422 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 55*40*45 | 23/22 | 5.18 |
| MN3522 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 55*45*45 | 26/25 | 5.86 |
| MN6321 | 63A | 220V | 2P+E | 6H | IP44 | 10 | 38*30*25 | 10/9 | 17.51 |
| MN6421 | 63A | 380V | 3P+E | 6H | IP44 | 10 | 38*30*25 | 10/9 | 19.03 |
| MN6521 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 10 | 38*30*25 | 10/9 | 21.46 |
| MN6322 | 63A | 220V | 2P+E | 6H | IP67 | 10 | 38*30*25 | 10/9 | 19.08 |
| MN6422 | 63A | 380V | 3P+E | 6H | IP67 | 10 | 38*30*25 | 10/9 | 20.77 |
| MN6522 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 38*30*25 | 10/9 | 23.19 |
| MN5322 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 36.05 |
| MN5422 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 41.20 |
| MN5522 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 45*35*43 | 17/16 | 46.29 |

Panel mounted socket (straight)



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1331 | 16A | 220V | 2P+E | 6H | IP44 | 60 | 45*35*43 | 15/14 | 2.52 |
| MN1431 | 16A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 13/12 | 2.63 |
| MN1531 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 45*35*43 | 12/13 | 3.01 |
| MN1332 | 16A | 220V | 2P+E | 6H | IP67 | 60 | 45*35*43 | 16/15 | 2.82 |
| MN1432 | 16A | 380V | 3P+E | 6H | IP67 | 60 | 45*35*43 | 12/13 | 3.17 |
| MN1532 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 45*35*43 | 16/15 | 3.78 |
| MN3331 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 45*35*43 | 16/15 | 3.23 |
| MN3431 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 16/15 | 3.65 |
| MN3531 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 45*35*43 | 17/16 | 4.17 |
| MN3332 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 55*45*45 | 26/25 | 4.32 |
| MN3432 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 50*36*45 | 17/16 | 4.65 |
| MN3532 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 60*40*50 | 35/34 | 5.36 |
| MN6331 | 63A | 220V | 2P+E | 6H | IP44 | 20 | 55*40*45 | 20/19 | 12.77 |
| MN6431 | 63A | 380V | 3P+E | 6H | IP44 | 20 | 55*40*45 | 20/19 | 14.36 |
| MN6531 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 20 | 55*40*45 | 23/22 | 16.80 |
| MN6332 | 63A | 220V | 2P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 14.15 |
| MN6432 | 63A | 380V | 3P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 15.72 |
| MN6532 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 20 | 50*36*45 | 17/16 | 18.09 |
| MN5332 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 33.20 |
| MN5432 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 36.62 |
| MN5532 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 45*35*43 | 17/16 | 39.84 |

Panel mounted socket (Angled)



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1341 | 16A | 220V | 2P+E | 6H | IP44 | 60 | 45*35*43 | 12/11 | 2.45 |
| MN1441 | 16A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 13/12 | 2.75 |
| MN1541 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 45*35*43 | 14/13 | 3.13 |
| MN1342 | 16A | 220V | 2P+E | 6H | IP67 | 60 | 45*35*43 | 12/11 | 2.84 |
| MN1442 | 16A | 380V | 3P+E | 6H | IP67 | 60 | 45*35*43 | 13/12 | 3.29 |
| MN1542 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 45*35*43 | 14/13 | 3.92 |
| MN3341 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 55*45*45 | 26/25 | 3.45 |
| MN3441 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 55*45*45 | 28/27 | 3.84 |
| MN3541 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 60*40*50 | 35/34 | 4.34 |
| MN3342 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 55*45*45 | 26/25 | 4.58 |
| MN3442 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 50*36*45 | 17/16 | 4.90 |
| MN3542 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 60*40*50 | 35/34 | 5.64 |
| MN6341 | 63A | 220V | 2P+E | 6H | IP44 | 20 | 45*35*43 | 16/15 | 12.75 |
| MN6441 | 63A | 380V | 3P+E | 6H | IP44 | 20 | 45*35*43 | 16/15 | 14.31 |
| MN6541 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 20 | 50*36*45 | 17/16 | 16.78 |
| MN6342 | 63A | 220V | 2P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 14.12 |
| MN6442 | 63A | 380V | 3P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 15.65 |
| MN6542 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 20 | 50*36*45 | 17/16 | 18.08 |
| MN5342 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 33.20 |
| MN5442 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 38.90 |
| MN5542 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 45*35*43 | 17/16 | 46.48 |

Panel mounted Inlet



| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1351 | 16A | 220V | 2P+E | 6H | IP44 | 60 | 45*35*43 | 12/11 | 3.30 |
| MN1451 | 16A | 380V | 3P+E | 6H | IP44 | 60 | 45*35*43 | 13/12 | 3.79 |
| MN1551 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 45*35*43 | 14/13 | 4.22 |
| MN1352 | 16A | 220V | 2P+E | 6H | IP67 | 60 | 45*35*43 | 12/11 | 3.91 |
| MN1452 | 16A | 380V | 3P+E | 6H | IP67 | 60 | 45*35*43 | 13/12 | 4.58 |
| MN1552 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 45*35*43 | 14/13 | 5.02 |
| MN3351 | 32A | 220V | 2P+E | 6H | IP44 | 60 | 55*45*45 | 26/25 | 3.8 |
| MN3451 | 32A | 380V | 3P+E | 6H | IP44 | 60 | 55*45*45 | 28/27 | 4.6 |
| MN3551 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | 60 | 60*40*50 | 35/34 | 4.8 |
| MN3352 | 32A | 220V | 2P+E | 6H | IP67 | 60 | 55*45*45 | 26/25 | 4.6 |
| MN3452 | 32A | 380V | 3P+E | 6H | IP67 | 60 | 50*36*45 | 17/16 | 5.0 |
| MN3552 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | 60 | 60*40*50 | 35/34 | 5.7 |
| MN6351 | 63A | 220V | 2P+E | 6H | IP44 | 20 | 45*35*43 | 16/15 | 11.4 |
| MN6451 | 63A | 380V | 3P+E | 6H | IP44 | 20 | 45*35*43 | 16/15 | 13.3 |
| MN6551 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | 20 | 50*36*45 | 17/16 | 15.2 |
| MN6352 | 63A | 220V | 2P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 12.3 |
| MN6452 | 63A | 380V | 3P+E | 6H | IP67 | 20 | 45*35*43 | 16/15 | 14.2 |
| MN6552 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | 20 | 50*36*45 | 17/16 | 16.1 |
| MN5352 | 125A | 220V | 2P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 28.08 |
| MN5452 | 125A | 380V | 3P+E | 6H | IP67 | 10 | 45*35*43 | 16/15 | 33.77 |
| MN5552 | 125A | 220V/380V | 3P+E+N | 6H | IP67 | 10 | 45*35*43 | 17/16 | 38.90 |

Surface mounted Inlet

| Part No. | Specification | | | | | QTY for CTN pcs | CTN Dimension CM | CTN Gross / net Weight KG | Unit Price(USD) |
|----------|---------------|-----------|--------|----------|-----------|--------------------|---------------------|------------------------------|-----------------|
| | Current | Voltage | pole | Position | IP Degree | | | | |
| MN1361 | 16A | 220V | 2P+E | 6H | IP44 | | | | 4.97 |
| MN1461 | 16A | 380V | 3P+E | 6H | IP44 | | | | 5.92 |
| MN1561 | 16A | 220V/380V | 3P+E+N | 6H | IP44 | | | | 7.14 |
| MN1362 | 16A | 220V | 2P+E | 6H | IP67 | | | | 7.59 |
| MN1462 | 16A | 380V | 3P+E | 6H | IP67 | | | | 8.59 |
| MN1562 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | | | | 9.26 |
| MN3361 | 32A | 220V | 2P+E | 6H | IP44 | | | | 8.28 |
| MN3461 | 32A | 380V | 3P+E | 6H | IP44 | | | | 8.93 |
| MN3561 | 32A | 220V/380V | 3P+E+N | 6H | IP44 | | | | 9.71 |
| MN3362 | 32A | 220V | 2P+E | 6H | IP67 | | | | 10.67 |
| MN3462 | 32A | 380V | 3P+E | 6H | IP67 | | | | 11.50 |
| MN3562 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | | | | 12.72 |
| MN6361 | 63A | 220V | 2P+E | 6H | IP44 | | | | 25.22 |
| MN6461 | 63A | 380V | 3P+E | 6H | IP44 | | | | 27.01 |
| MN6561 | 63A | 220V/380V | 3P+E+N | 6H | IP44 | | | | 29.46 |
| MN6362 | 63A | 220V | 2P+E | 6H | IP67 | | | | 26.34 |
| MN6462 | 63A | 380V | 3P+E | 6H | IP67 | | | | 28.13 |
| MN6562 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | | | | 30.13 |



Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month










Wenzhou HIGHYI Electric Co.,Ltd

No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
Tel: +86-577-62902615 Fax: +86-577-62902615
Email: info@highyi.com Web: www.highyi.com

Price List

| | | |
|----------|-------------------------|--|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit |
| Tel/Fax: | Email: info@highyi.com | the balance 70% before shipment |
| Email: | Date: | Payment method: T/T, Western Union, Alipay |

Interlock socket

| Part No. | Specification | | | | | Image | PCS/CTN | Unit Price(USD) |
|----------|---------------|---------------|--------|----------|-----------|---|---------|-----------------|
| | Rated Current | Rated Voltage | pole | Position | IP Degree | | | |
| MN1371H | 16A | 220V | 2P+E | 6H | IP44 |  | 24pcs | 19.2 |
| MN1471H | 16A | 380V | 3P | 6H | IP44 | | 24pcs | 20.0 |
| MN1571H | 16A | 220V/380V | 3P+E+N | 6H | IP44 | | 24pcs | 20.7 |
| MN1372H | 16A | 220V | 2P+E | 6H | IP67 |  | 24pcs | 21.5 |
| MN1472H | 16A | 380V | 3P | 6H | IP67 | | 24pcs | 22.3 |
| MN1572H | 16A | 220V/380V | 3P+E+N | 6H | IP67 | | 24pcs | 23.3 |
| MN1372 | 16A | 220V | 2P+E | 6H | IP67 |  | 18pcs | 26.3 |
| MN1472 | 16A | 380V | 3P | 6H | IP67 | | 18pcs | 27.1 |
| MN1572 | 16A | 220V/380V | 3P+E+N | 6H | IP67 | | 18pcs | 28.1 |
| MN3372 | 32A | 220V | 2P+E | 6H | IP67 |  | 18pcs | 29.0 |
| MN3472 | 32A | 380V | 3P | 6H | IP67 | | 18pcs | 30.2 |
| MN3572 | 32A | 220V/380V | 3P+E+N | 6H | IP67 | | 18pcs | 31.3 |
| MN6372 | 63A | 220V | 2P+E | 6H | IP67 |  | 18pcs | 68.8 |
| MN6472 | 63A | 380V | 3P | 6H | IP67 | | 18pcs | 71.0 |
| MN6572 | 63A | 220V/380V | 3P+E+N | 6H | IP67 | | 18pcs | 74.0 |

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month



Wenzhou HIGHYI Electric Co.,Ltd









No. 17, Lane 6, Changrong South Road, Wenzhou, Zhejiang, China
 Tel: +86-577-62902615 Fax: +86-577-62902615
 Email: info@highyi.com Web: www.highyi.com

Price List

| | | |
|----------|-------------------------|--|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Mobile: +86 18657727276 | Payment Term: 30% as Deposit |
| Tel/Fax: | Email: info@highyi.com | the balance 70% before shipment |
| Email: | Date: | Payment method: T/T, Western Union, Alipay |

| Part No. | Material | Specification | | | Image | PCS/CTN | Unit Price(RMB) | Unit Price(USD) |
|--------------------------------|----------|----------------|----------|-----------|-------|---------|-----------------|-----------------|
| | | Size (mm) | Capacity | IP Degree | | | | |
| Transparent Window Hood | | | | | | | | |
| MN402 | PC | 57*98*31 | 2P | IP67 | | 20pcs | 17.9 | 2.80 |
| MN403 | PC | 75*98*31 | 3P | IP67 | | 20pcs | 21.7 | 3.39 |
| MN404 | PC | 93*98*31 | 4P | IP67 | | 20pcs | 22.8 | 3.56 |
| MN405 | PC | 124.5*105.4*25 | 5P | IP67 | | 20pcs | 39.7 | 6.20 |
| MN406 | PC | 129*98*31 | 6P | IP67 | | 20pcs | 26.1 | 4.08 |
| MN408 | PC | 165*98*31 | 8P | IP67 | | 20pcs | 28.2 | 4.41 |
| MN410 | PC | 202*98*31 | 10P | IP67 | | 10pcs | 29.9 | 4.67 |
| MN412C | PC | 237*98*31 | 12P | IP67 | | 10pcs | 31.5 | 4.92 |
| MN413C | PC | 255*98*31 | 13P | IP67 | | 10pcs | 39.7 | 6.20 |
| MN416C | PC | 309*98*31 | 16P | IP67 | | 10pcs | 55.4 | 8.66 |

Distribution box

| | | | | | | | | |
|---------|----|-------------|-----------|-----------|---|-------|--------|-------|
| MN1805 | PC | 490*140*95 | 6P | IP67 |  | 20pcs | 80.64 | 12.60 |
| MN1805B | PC | 490*142*95 | 6P | IP67 |  | 20pcs | 77.44 | 12.10 |
| MN1805C | PC | 490*120*70 | 4~6P | IP67 |  | 20pcs | 74.88 | 11.70 |
| MN1801 | PC | 240*120*120 | 4P | IP67 |  | 4pcs | 78.08 | 12.20 |
| MN1802 | PC | 260*170*140 | 8P | IP67 |  | 4pcs | 81.92 | 12.80 |
| MN1808 | PC | 478*340*330 | 36 mobile | IP44/IP67 |  | 2pcs | 410.88 | 64.20 |
| MN1807 | PC | 370*340*330 | 24 mobile | IP44/IP67 |  | 2pcs | 243.84 | 38.10 |
| MN1806 | PC | 300*287*230 | 12 mobile | IP44/IP67 |  | 2pcs | 133.12 | 20.80 |

Remark:

1. All price are based on FOB
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month





Wenzhou Hgghi Electric Co.,Ltd

No.65 jingyou 7th Road, Shangyou Industrial zone, Liushi Town, Yueqing City, Wenzhou, Zhejiang, China
 Tel: +86-18657727276/+86 15258767939 WhatsApp: +86 15258767939
 Email: payton@highyi.com Web: www.highyi.com

Price List

| | | |
|----------|--|--|
| To: | From: Payton Zhu | Delivery time: 15 days after deposit |
| Company: | Phone: +86-18657727276/+86 15258767939 | 30% as Deposit |
| Tel/Fax: | Email: payton@highyi.com/info@highyi.com | the balance 70% before shipment |
| Email: | Date: 2024-9-21 | Payment method: T/T, Western Union, Alipay |

| Part No. | Material | Size (mm) | Capacity | IP Degree | Image | Unit Price(USD) |
|-------------------------------|----------|-------------|---|-----------|---|-----------------|
| Push Button Switch Box | | | | | | |
| HY-CUS-BPB001 | ABS+PC | 130x70x80 | 1 row 1 hole Box + transparent cover+ hole predrilled | IP67 |  | 2.85 |
| HY-CUS-BPB002 | ABS+PC | 125x125x75 | 1 row 2 holes Box + transparent cover+ hole predrilled | IP67 |  | 3.28 |
| HY-CUS-BPB003 | ABS+PC | 175x125x75 | 1 row 3 holes Box + transparent cover+ hole predrilled | IP67 |  | 5.00 |
| HY-CUS-BPB004 | ABS+PC | 175x125x75 | 1 row 4 holes Box + transparent cover+ hole predrilled | IP67 |  | 5.86 |
| HY-CUS-BPB005 | ABS+PC | 175x125x75 | 2 rows 4 holes Box + transparent cover+ hole predrilled | IP67 |  | 5.86 |
| HY-CUS-BPB006 | ABS+PC | 250x150x100 | 1 row 5 holes Box + transparent cover+ hole predrilled | IP67 |  | 7.90 |
| HY-CUS-BPB007 | ABS+PC | 250x150x100 | 1 row 6 holes Box + transparent cover+ hole predrilled | IP67 |  | 7.90 |
| HY-CUS-BPB008 | ABS+PC | 250x150x100 | 1 row 6 holes Box + transparent cover+ hole predrilled | IP67 |  | 7.90 |



Remark:

1. All price are based on EXW
2. Any change should be subjected to our final confirmation.
3. Any demands are available as request.
4. The valid time: two month

